## **EuroVanillin Aromatic**

Replaces date: 20/05/2021 Revision date: 15/12/2021

Version: 1.7.1

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Trade name: EuroVanillin Aromatic

Substance name: Ethyl vanillin CAS No: 121-32-4

**EC No:** 204-464-7

**REACH Reg. No.:** 01-2119958961-24

Formula: C9H10O3

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended uses: Formulation of flavouring and fragrance compounds

See enclosed exposure scenarios for further information.

Inadvisable uses: None.

## 1.3. Details of the supplier of the safety data sheet

#### Supplier

Company: Borregaard AS
Address: P.O. Box 162
City: 1701 Sarpsborg
Country: NORWAY

E-mail: sds@borregaard.com
Phone: + 47 69 11 80 00
Fax: + 47 69 11 87 70

#### 1.4. Emergency Telephone Number

Members of the public: 111 (NHS 111 (Scotland: NHS 24)).

## **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

**CLP-classification:** Eye Irrit. 2;H319

Most serious harmful effects: Causes serious eye irritation.

#### 2.2. Label elements

#### **Pictograms**



Signal word: Warning

**Contains** 

## **EuroVanillin Aromatic**

Replaces date: 20/05/2021 Revision date: 15/12/2021

Version: 1.7.1

Substance: Ethyl vanillin CAS No: 121-32-4

H-phrases

H319 Causes serious eye irritation.

P-phrases

P280 Wear protective gloves/protective clothing/eye protection/face protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if P305+351+338

present and easy to do. Continue rinsing.

P337+313 If eye irritation persists: Get medical advice/attention.

P264 Wash hands thoroughly after handling.

#### 2.3. Other hazards

May form explosible dust-air mixture if dispersed.

#### **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Substance	CAS No./ EC No./ REACH Reg. No.	Concentration	Notes	CLP-classification
-···/·	121-32-4 204-464-7 01-2119958961-24	~ 100%		Eye Irrit. 2;H319

Please see section 16 for the full text of H- / EUH-phrases..

## **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

Inhalation: Seek fresh air, wash out mouth with water and blow nose thoroughly. Seek medical advice

in case of persistent discomfort.

Ingestion: Wash out mouth thoroughly and drink 1-2 glasses of water in small sips. Induce vomiting if

victim is conscious. Seek medical advice in case of discomfort.

Skin contact: Immediately remove contaminated clothing. Wash the skin thoroughly with water and

continue washing for a long time. Wash contaminated clothing before reuse.

Open eye wide, remove any contact lenses and flush immediately with water (preferably Eye contact:

using eye wash equipment). Seek medical advice immediately. Continue flushing until

medical attention is obtained.

#### 4.2. Most important symptoms and effects, both acute and delayed

Irritating to eyes. Causes a burning sensation and tearing.

### 4.3. Indication of any immediate medical attention and special treatment needed

Flush with water (preferably using eye wash equipment) until irritation subsides. Seek medical advice if symptoms persist.

## **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media: Extinguish with powder, foam, carbon dioxide or water mist.

Unsuitable extinguishing

media:

Do not use water stream, as it may spread the fire.

#### 5.2. Special hazards arising from the substance or mixture

## **EuroVanillin Aromatic**

Replaces date: 20/05/2021 Revision date: 15/12/2021

Version: 1.7.1

Avoid formation of dust.

#### 5.3. Advice for firefighters

If there is a risk of exposure to vapour and flue gases, a self-contained breathing apparatus must be worn.

## **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: Provide good ventilation. Wear safety goggles if there is a risk of dust contact with eyes.

#### 6.2. Environmental precautions

Prevent spillage from entering drains and/or surface water.

#### 6.3. Methods and material for containment and cleaning up

Contain and absorb spill with sand or other absorbent material and transfer to suitable waste containers. Rinse with water. Do not sweep - use vacuum cleaner to collect spillage.

#### 6.4. Reference to other sections

See section 13 for instructions on disposal.

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

Work processes where generation of dust may occur must be performed under effective process ventilation (e.g. local exhaust ventilation). Running water and eye wash equipment must be available. Wash hands before breaks, before using restroom facilities, and at the end of work. Avoid formation of dust. Take precautionary measures against static discharges. Use sparkfree tools and explosion proof equipment.

#### 7.2. Conditions for safe storage, including any incompatibilities

Store in a dry, cool, well-ventilated area. Do not expose to heat (e.g. sunlight). Take precautionary measures against static discharges. Use spark-free tools and explosion proof equipment.

#### 7.3. Specific end use(s)

None.

#### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

#### Occupational exposure limit

Substance name	Time period	ppm	mg/m³	fiber/cm3	Comments	Remarks
Ethyl vanillin	8h		5		org.støv	

## **PNEC**

Ethyl vanillin, cas-no 121	-32-4			
Exposure	Value	Assessment Factor	Extrapolation Method	Note
PNEC aqua (freshwater)	0.118 mg/l			
(tresnwater)	15 mg/kg			
PNEC sediment (marine water)				
PNEC STP (wastewater-treatment facilities)	10 mg/l			

## **EuroVanillin Aromatic**

Replaces date: 20/05/2021 Revision date: 15/12/2021

Version: 1.7.1

PNEC aqua (marine water)	0.0118 mg/l			
--------------------------	-------------	--	--	--

#### **DNEL** - workers

Ethyl vanillin, cas-no 121-32-4							
Exposure	Value	Assessment Factor	Dose Descriptor	Main Impact Parameter	Note		
Inhalation DNEL (long-term exposure - systemic effects)	49 mg/m³						
Inhalation DNEL (acute/short-term exposure - systemic effects)	98 mg/m³						
Dermal DNEL (long- term exposure - systemic effects)	7 mg/kg bw/day						

#### **DNEL** - general population

Ethyl vanillin, cas-no 121-32-4							
Exposure	Value	Assessment Factor	Dose Descriptor	Main Impact Parameter	Note		
Inhalation DNEL (long-term exposure - systemic effects)	8.75 mg/m³						
Inhalation DNEL (acute/short-term exposure - systemic effects)	17.5 mg/m³						
Dermal DNEL (long- term exposure - systemic effects)	2.5 mg/kg bw/day						
Oral DNEL (long- term exposure - systemic effects)	2.5 mg/kg bw/day						

#### 8.2. Exposure controls

**Exposure controls:** Work processes where generation of dust may occur must be performed under effective

process ventilation (e.g. local exhaust ventilation). Running water and eye wash equipment must be available. Wash hands before breaks, before using restroom facilities, and at the

end of work.

Appropriate engineering

controls:

Provide good ventilation. Running water and eye wash equipment must be available.

**Personal protective equipment,** Wear safety goggles if there is a risk of dust contact with eyes. **eye/face protection:** 

**Personal protective equipment,** Wear suitable protective clothing. **skin protection:** 

**Personal protective equipment,** Wear gloves. hand protection:

**Personal protective equipment,** Wear respiratory protective equipment with P2 filter when performing dusty work. **respiratory protection:** 

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

## **EuroVanillin Aromatic**

Replaces date: 20/05/2021 Revision date: 15/12/2021

Version: 1.7.1

Parameter	Value/unit	
State	Powder Crystals	
Colour	White Yellowish	
Odour	Characteristic	
Solubility	Soluble in the following: Organic solvents.	

Parameter	Value/unit	Remarks
Odour threshold	7 ppm	
Melting point	76 - 78 °C	
Freezing point	76 - 78 °C	
Initial boiling point and boiling range	285 °C	
Flammability (solid, gas)	No data	
Flammability limits	No data	
Explosion limits	No data	
Flash Point	127 °C	(closed cup)
Auto-ignition temperature	> 400 °C	
Decomposition temperature	°C	Data not available
pH (solution for use)	~ 4.3	1% solution
pH (concentrate)		Not applicable.
Kinematic viscosity	No data	
Viscosity	cSt	Not applicable. Solid substance
Partition coefficient n-octonol/water	1.55 - 1.61	20°C
Vapour pressure	0.0029 kPa	
Density	1.05 g/cm³	
Relative density	1.307	20°C
Vapour density	5.8	25°C
Relative density (sat. air)	No data	
Particle characteristics	No data	

## 9.2. Other information

Parameter	Value/unit	Remarks
Molecular weight	166,19	
Explosive properties		Non-explosive
Oxidising properties		Non-oxidising.

Other Information: Ref.: Hawley's Condensed Chemical Dictionary, 12th Edition; BIBRA Toxicity Profile, 1988;

personal analysis / experience

## **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

No known data.

## 10.2. Chemical stability

Avoid direct sunlight. The substance is stable when used in accordance with the supplier's directions.

## 10.3. Possibility of hazardous reactions

None known.

## 10.4. Conditions to avoid

## **EuroVanillin Aromatic**

Replaces date: 20/05/2021 Revision date: 15/12/2021

Version: 1.7.1

Avoid formation of dust.

#### 10.5. Incompatible materials

Strong alkalis/ Strong oxidisers/ Strong acids/ Metals/

#### 10.6. Hazardous decomposition products

Carbon monoxide and carbon dioxide.

## **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity - oral

#### Ethyl vanillin, cas-no 121-32-4

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rat	LD50		> 3160mg/kg		OECD 401	REACH dossier

Based on existing data, the classification criteria are deemed not to have been met.

#### Acute toxicity - dermal

#### Ethyl vanillin, cas-no 121-32-4

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rat	LD50		> 2000mg/kg		OECD 402	REACH dossier

Based on existing data, the classification criteria are deemed not to have been met.

Acute toxicity - inhalation:

Based on existing data, the classification criteria are deemed not to have been met.

#### Skin corrosion/irritation

## Ethyl vanillin, cas-no 121-32-4

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rabbit				Non-irritating	OECD 404	REACH dossier

Based on existing data, the classification criteria are deemed not to have been met.

#### Serious eye damage/eye irritation

## Ethyl vanillin, cas-no 121-32-4

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rabbit				Slightly irrittating.	OECD 405	REACH dossier

Irritating to eyes. Causes a burning sensation and tearing.

#### Respiratory sensitisation or skin sensitisation

## Ethyl vanillin, cas-no 121-32-4

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Mouse				Non-sensitising	OECD 429	REACH dossier

Based on existing data, the classification criteria are deemed not to have been met.

## Germ cell mutagenicity

#### Ethyl vanillin, cas-no 121-32-4

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
				No mutagenic effects observed.	Ames test	REACH dossier

Based on existing data, the classification criteria are deemed not to have been met.

## **EuroVanillin Aromatic**

Replaces date: 20/05/2021 Revision date: 15/12/2021

Version: 1.7.1

**Carcinogenic properties:** Based on existing data, the classification criteria are deemed not to have been met.

#### 11.2. Information on other hazards

Other toxicological effects: Ref.: BIBRA Toxicity Profile, 1988. Acceptable daily intake (ADI) for human is intended for

0-10 mg/kg/day (The Joint FAO/WHO Expert Committee on Food Additives. )

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

## Ethyl vanillin, cas-no 121-32-4

Organism	Species	Exposure time	Test Type	Value	Conclusion	Test method	Source
Fish	Pimephales promelas		96hEC50	~ 87.6mg/l		OECD 203	REACH dossier
Crustacea	Daphnia magna	48 h	48hEC50	26.2mg/l			REACH dossier
Algae	Pseudokirchne riella subcapitata	72 h	72hEC50	> 100mg/l			REACH dossier
Algae	Pseudokirchne riella subcapitata	72 h	72hNOEC	21.2mg/l			
Bacteria	Tetrahymena pyriformis	40 h		158.7mg/l			REACH dossier

#### 12.2. Persistence and degradability

## Ethyl vanillin, cas-no 121-32-4

Organism	Species	Exposure time	Test Type	Value	Conclusion	Test method	Source
					Readily	OECD 301 C	REACH
					biodegradable.	OECD 301 C	dossier

Readily biodegradable.

## 12.3. Bioaccumulative potential

No bioaccumulation expected.

#### 12.4. Mobility in soil

Test data are not available.

## 12.5. Results of PBT and vPvB assessment

The product does not contain any PBT or vPvB substances.

## 12.6. Endocrine disrupting properties

#### 12.7. Other adverse effects

None known.

#### Other Information

Based on existing data, the classification criteria are deemed not to have been met.

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Do not discharge large quantities of concentrated spills and residue into drains. Collect concentrated spills and major waste in closed, leak-proof containers for disposal at the applicable hazardous waste site with the below specifications.

## **EuroVanillin Aromatic**

Replaces date: 20/05/2021 Revision date: 15/12/2021

Version: 1.7.1

## **SECTION 14: Transport information**

14.1. UN number or ID number: Not applicable. 14.4. Packing group: Not applicable. 14.5. Environmental 14.2. UN proper shipping Not applicable. Not applicable. hazards:

name:

14.3. Transport hazard

class(es):

Not applicable.

#### 14.6. Special precautions for user

None.

## 14.7. Maritime transport in bulk according to IMO instruments

Not applicable.

## **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**Special Provisions:** ADR/RID. REACH (EC 1907/2006) GHS/CLP (EC NO1272/2008) GHS USA June, 2015.

#### 15.2. Chemical Safety Assessment

REACH Reg. No.	Substance name
01-2119958961-24	Ethyl vanillin

Other Information: Chemical safety assessments have been performed for the following substances:

Ethylvanillin.

## **SECTION 16: Other information**

## Version history and indication of changes

Version	Revision date	Responsible	Changes
1.7.1	15/12/2021	Borregaard AS	Section 3
1.7.0	20/05/2021	Borregaard AS	Section 7
1.6.0	05/12/2019	Borregaard AS	Section 2, 8, 11, 19
1.5.0	11/04/2017	Borregaard AS	Section 1, 11

Vendor notes: Information given in this safety data sheet is in accordance with our information, and to the

best of our knowledge, was correct on the last revision date. Information given is intended to present guidelines for safe handling, use, processing, storage, transport, disposal and discharge; it is not intended to be a guarantee or quality specification. It is the responsibility of the recipient of this safety data sheet to ensure that information given here is read and understood by all who use, handle, dispose of or in any way come in contact with the

product.

## **List of relevant H-statements**

H319 Causes serious eye irritation.

**Document language:** GB