EuroVanillin Cream

Issued: 28/02/2020 Version: 1.0.0

SECTION 1: Identification of the substance/preparation and of the company/undertaking

1.1. Product identifier	
Trade name:	EuroVanillin Cream
Group name:	EuroVanillin Expert
1.2. Relevant identified	uses of the substance or mixture and uses advised against
Recommended uses:	Formulation of flavouring and fragrance compounds
	See enclosed exposure scenarios for further information.
Inadvisable uses:	None.
1.3. Details of the suppl	ier of the safety data sheet
Supplier	
Company	Porrogoard AS

Company:	Borregaard AS
Address:	P.O. Box 162
City:	1701 Sarpsborg
Country:	NORWAY
E-mail:	sds@borregaard.com
Phone:	+ 47 69 11 80 00
Fax:	+ 47 69 11 87 70

1.4. Emergency Telephone Number

Members of the public: 111 (NHS 111 (Scotland: NHS 24))

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

CLP-classification:	Eye Irrit. 2;H319

Most serious harmful effects:	Causes serious eye irritation.
-------------------------------	--------------------------------

2.2. Label elements

Pictograms

Signal word:	Warning
Contains	
Substance:	Ethyl vanillin; Vanillin
H-phrases	
H319	Causes serious eye irritation.
P-phrases	
P280	Wear protective gloves/protective clothing/eye protection/face protection.

EuroVanillin Cream

Issued: 28/02/2020 Version: 1.0.0

P305+351+338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+313	If eye irritation persists: Get medical advice/attention.
P264	Wash hands thoroughly after handling.

2.3. Other hazards

May form explosible dust-air mixture if dispersed.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Substance	CAS No		REACH Reg. No.		Notes	CLP- classification
Ethyl vanillin	121-32-4	204-464-7	01-2119958961- 24	30 - 40%		Eye Irrit. 2;H319
Vanillin	121-33-5	1/11/4-40-0-7	01-2119516040- 60	1 - 10%		Eye Irrit. 2;H319

Please see section 16 for the full text of H-phrases.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation:	Seek fresh air, wash out mouth with water and blow nose thoroughly. Seek medical advice in case of persistent discomfort.
Ingestion:	Wash out mouth thoroughly and drink 1-2 glasses of water in small sips. Induce vomiting if victim is conscious. Seek medical advice in case of discomfort.
Skin contact:	Immediately remove contaminated clothing. Wash the skin thoroughly with water and continue washing for a long time. Wash contaminated clothing before reuse.
Eye contact:	Open eye wide, remove any contact lenses and flush immediately with water (preferably using eye wash equipment). Seek medical advice immediately. Continue flushing until medical attention is obtained.

4.2. Most important symptoms and effects, both acute and delayed

Irritating to eyes. Causes a burning sensation and tearing.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptoms.

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

Suitable extinguishing media:	Extinguish with powder, foam, carbon dioxide or water mist.
Unsuitable extinguishing media:	Do not use water stream, as it may spread the fire.

5.2. Special hazards arising from the substance or mixture

Avoid formation of dust.

5.3. Advice for fire-fighters

If there is a risk of exposure to vapour and flue gases, a self-contained breathing apparatus must be worn.

EuroVanillin Cream

Issued: 28/02/2020 Version: 1.0.0

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: Provide good ventilation. Wear safety goggles if there is a risk of dust contact with eyes. Take precautionary measures against static discharges. Use spark-free tools and explosion proof equipment.

6.2. Environmental precautions

Prevent spillage from entering drains and/or surface water.

6.3. Methods and material for containment and cleaning up

Contain and absorb spill with sand or other absorbent material and transfer to suitable waste containers. Rinse with water. Do not sweep - use vacuum cleaner to collect spillage.

6.4. Reference to other sections

See section 13 for instructions on disposal.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid formation of dust. Work processes where generation of dust may occur must be performed under effective process ventilation (e.g. local exhaust ventilation). Running water and eye wash equipment must be available. Wash hands before breaks, before using restroom facilities, and at the end of work. Take precautionary measures against static discharges. Use spark-free tools and explosion proof equipment.

7.2. Conditions for safe storage, including any incompatibilities

Store in a dry, cool, well-ventilated area. Do not expose to heat (e.g. sunlight). Take precautionary measures against static discharges. Use spark-free tools and explosion proof equipment.

7.3. Specific end use(s)

None.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit

Substance name	Time period	ppm	mg/m3	fiber/cm3	Comments	Remarks
Ethyl vanillin	8h		5		org.støv	
Water	8h	0	10			

PNEC

Ethyl vanillin, cas-no 121-32-4

Exposure	Value	Assessment Factor	Extrapolation Method	Note		
PNEC aqua (freshwater)	0.118 mg/l					
PNEC aqua (marine water)	0.118 mg/l					
PNEC sediment (freshwater)	15 mg/kg					
PNEC sediment (marine water)	1.5 mg/kg					
PNEC STP (wastewater- treatment facilities)	10 mg/l					

EuroVanillin Cream

Issued: 28/02/2020 Version: 1.0.0

Vanillin, cas-no 121-33-5						
Exposure	Value	Assessment Factor	Extrapolation Method	Note		
PNEC soil	19,56 mg/kg soil dw					
PNEC aqua (freshwater)	0,118 mg/l					
PNEC aqua (marine water)	0,0118 mg/l					
(ueaunent lacinues)	10,0 mg/i					
PNEC sediment (marine water)	5,822 mg/l					

DNEL - workers

Ethyl vanillin, cas-no 121-32-4

Exposure	Value	Assessment Factor	Dose Descriptor	Main Impact Parameter	Note				
Inhalation DNEL (long-term exposure - systemic effects)	49 mg/m³								
Inhalation DNEL (acute/short-term exposure - systemic effects)	98 mg/m³								
Dermal DNEL (long- term exposure - systemic effects)	7 mg/kg bw/day								

DNEL - general population

Ethyl vanillin, cas-no	121-32-4				
Exposure	Value	Assessment Factor	Dose Descriptor	Main Impact Parameter	Note
Inhalation DNEL (long-term exposure - systemic effects)	8.75 mg/m³				
Inhalation DNEL (acute/short-term exposure - systemic effects)	17.5 mg/m³				
Dermal DNEL (long- term exposure - systemic effects)	2.5 mg/kg bw/day				
Oral DNEL (long- term exposure - systemic effects)	2.5 mg/kg bw/day				
Vanillin, cas-no 121-	33-5				
Exposure	Value	Assessment Factor	Dose Descriptor	Main Impact Parameter	Note
Oral DNEL (acute/short-term exposure - systemic effects)	10 mg/kg/day				

8.2. Exposure controls

Exposure controls: See enclosed exposure scenarios for further information.

Appropriate engineering
controls:Provide good ventilation. Running water and eye wash equipment must be available. Wear
the personal protective equipment specified below.

Personal protective equipment, Wear safety goggles if there is a risk of dust contact with eyes. **eye/face protection:**

EuroVanillin Cream

Issued: 28/02/2020 Version: 1.0.0

Personal protective equipment, Wear suitable protective clothing. **skin protection:**

Personal protective equipment, No specific hand protection noted, but gloves may still be advisable. hand protection:

Personal protective equipment, Wear respiratory protective equipment with P2 filter when performing dusty work. **respiratory protection:**

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Parameter		Value/unit					
State	Powder Crystals	Powder Crystals					
Colour	White Yellowish						
Odour	Characteristic						
Solubility	Soluble in the following:	Organic solvents.					
Explosive properties	Non-explosive						
Oxidising properties	Non-oxidising.						
Parameter	Value/unit	Remarks					
pH (solution for use)	No data						
pH (concentrate)	No data						
Melting point	76 - 78 °C						
Freezing point	No data						
Initial boiling point and boiling range	285 °C						
Flash Point	> 160 °C						
Evaporation rate		Not relevant. The product is a powder.					
Flammability (solid, gas)	No data						
Flammability limits	No data						
Explosion limits	No data						
Vapour pressure	0.0029 kPa						
Vapour density	No data						
Relative density	No data						
Partition coefficient n-octonol/water	No data						
Auto-ignition temperature	No data						
Decomposition temperature	No data						
Viscosity	cSt	Not relevant. The product is a powder.					
Odour threshold	No data						

9.2 Other information

Parameter	Value/unit	Remarks
Density	1.05 g/cm ³	
Molecular weight	166,19	
	100,19	

Other Information:

Ref. : Hawley's Condensed Chemical Dictionary, 12th Edition; BIBRA Toxicity Profile, 1988; personal analysis / experience

SECTION 10: Stability and reactivity

10.1. Reactivity

No known data.

10.2. Chemical stability

Avoid direct sunlight. The substance is stable when used in accordance with the supplier's directions.

Copyright © 1995 - 2020 DGOffice B.V., Made with CHESS in www.DGDoc.net

EuroVanillin Cream

Issued: 28/02/2020 Version: 1.0.0

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

Avoid formation of dust.

10.5. Incompatible materials

Strong alkalis/ Strong oxidisers/ Strong acids/ Metals/

10.6. Hazardous decomposition products

Carbon monoxide and carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity - oral

Ethyl vanillin, cas-no 121-32-4

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rat	LD50		> 3160mg/kg		OECD 401	REACH dossier
Vanillin, cas-no	o 121-33-5					
Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rat	LD50		> 3925mg/kg		OECD 423	REACH dossier

Based on existing data, the classification criteria are deemed not to have been met.

Acute toxicity - dermal

Ethyl vanillin, cas-no 121-32-4

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rat	LD50		> 2000mg/kg		OECD 402	REACH dossier
Vanillin, cas-no	0 121-33-5					
Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rat	LD50		> 2000mg/kg		OECD 402	REACH dossier

Based on existing data, the classification criteria are deemed not to have been met.

Acute toxicity - inhalation: Based on existing data, the classification criteria are deemed not to have been met.

Skin corrosion/irritation

Ethyl vanillin, cas-no 121-32-4

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rabbit				Non-irritating	OECD 404	REACH dossier
Vanillin, cas-no	0 121-33-5					
Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rat				Non-irritating	EU Method B.3	REACH dossier

May irritate the skin - may cause reddening.

Serious eye damage/eye irritation

Ethyl vanillin, cas-no 121-32-4

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rabbit				Slightly irrittating.	OECD 405	REACH dossier

EuroVanillin Cream

Issued: 28/02/2020 Version: 1.0.0

Vanillin, cas-no 121-33-5

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rabbit				Irritating	OECD 405	REACH dossier

Irritating to eyes. Causes a burning sensation and tearing.

Respiratory sensitisation or skin sensitisation

Ethyl vanillin, cas-no 121-32-4

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Mouse				Non-sensitising	OECD 429	REACH dossier
Vanillin, cas-no	o 121-33-5					
Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Guinea pig				Non-sensitising	EU Method B.6 (Skin Sensitisation)	REACH dossier

Based on existing data, the classification criteria are deemed not to have been met.

Germ cell mutagenicity

Ethyl vanillin, cas-no 121-32-4

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
				No mutagenic effects observed.	Ames test	REACH dossier

Vanillin, cas-no 121-33-5

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
				No mutagenic effects observed.	Ames test	REACH dossier

Based on existing data, the classification criteria are deemed not to have been met.

Other toxicological effects: Ref.: BIBRA Toxicity Profile, 1988. Acceptable daily intake (ADI) for human is intended for 0-10 mg/kg/day (The Joint FAO/WHO Expert Committee on Food Additives.)

SECTION 12: Ecological information

12.1. Toxicity

Ethyl vanillin, cas-no 121-32-4

Organism	Species	Exposure time	Test Type	Value	Conclusion	Test method	Source
Fish	Pimephales promelas		96hEC50	~ 87.6mg/l		OECD 203	REACH dossier
Crustacea	Daphnia magna	48 h	48hEC50	26.2mg/l			REACH dossier
Algae	Pseudokirchne riella subcapitata	72 h	72hEC50	> 100mg/l			REACH dossier
Algae	Pseudokirchne riella subcapitata	72 h	72hNOEC	21.2mg/l			
Bacteria	Tetrahymena pyriformis	40 h		148.7mg/l			REACH dossier

Vanillin, cas-no 121-33-5

Organism	Species	Exposure time	Test Type	Value	Conclusion	Test method	Source
Fish	Pimephales promelas		96hLC50	~ 83.7mg/l		IOECD 203	REACH dossier
Crustacea	Daphnia magna		48hEC50	~ 36.79mg/l		IOECD 202	REACH dossier

EuroVanillin Cream

Issued: 28/02/2020

					version: 1.0.0	J
Algae	Pseudokirchne riella subcapitata	72hEC50	~ 120mg/l	IOECD 201	REACH dossier	

No effect on the environment.

12.2. Persistence and degradability

Ethyl vanillin, cas-no 121-32-4 Organism Species Exposure time Test Type Value Conclusion Test method Source Image: Construction of the system of the

Vanillin, cas-no 121-33-5

Organism	Species	Exposure time	Test Type	Value	Conclusion	Test method	Source
					Readily biodegradable.	ISO 5815 (Water quality - Determination of BOD5)	

Test data are not available.

12.3. Bioaccumulative potential

No bioaccumulation expected.

12.4. Mobility in soil

Test data are not available.

12.5. Results of PBT and vPvB assessment

The product does not contain any PBT or vPvB substances.

12.6. Other adverse effects

None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Do not discharge large quantities of concentrated spills and residue into drains. Collect concentrated spills and major waste in closed, leak-proof containers for disposal at the applicable hazardous waste site with the below specifications.

SECTION 14: Transport information

14.1. UN-No.:Not applicable.14.2. UN proper shipping
name:Not applicable.14.3. Transport hazard
class(es):Not applicable.

14.4. Packing group: 14.5. Environmental hazards: Not applicable. Not applicable.

14.6. Special precautions for user

None.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Copyright © 1995 - 2020 DGOffice B.V., Made with CHESS in www.DGDoc.net

EuroVanillin Cream

Issued: 28/02/2020 Version: 1.0.0

Special Provisions:

ADR/RID (2017), GHS / CLP (EC NO1272/2008)

15.2. Chemical Safety Assessment				
REACH Reg. No.	Substance name			
01-2119516040-60	Vanillin			
01-2119958961-24	Ethyl vanillin			
Other Information:	Chemical safety assessments have been performed for the following substances: Ethylvanillin. Vanillin.			

SECTION 16: Other information

Version history and indication of changes

Version	Revision date	Responsible	Changes
1.0.0	28/02/2020	Borregaard AS	Initial release

Vendor notes: Information given in this safety data sheet is in best of our knowledge, was correct on the last to present guidelines for safe handling, use, pro discharge; it is not intended to be a guarantee of of the recipient of this safety data sheet to ensu understood by all who use, handle, dispose of o product.	revision date. Information given is intended ocessing, storage, transport, disposal and or quality specification. It is the responsibility ure that information given here is read and
--	---

List of relevant H-statements			
H319	Causes serious eye irritation.		
Document language:	GB		

Copyright © 1995 - 2020 DGOffice B.V., Made with CHESS in www.DGDoc.net